


**Grant County  
PUBLIC WORKS DEPARTMENT**

Derek Pohle, P.E.  
Director of Public Works and  
County Road Engineer  
Ephrata (509) 754-6082

David N. Heilman  
Assistant Director of Public Works  
Ephrata (509) 754-6082

Todd Mittge, P.E.  
Assistant County Road Engineer  
Ephrata (509) 754-6082

Robert Bersanti  
Design/Construction Engineer  
Ephrata (509) 754-6082



124 Enterprise St. S.E.  
Ephrata, Washington 98823  
(509) 754-6082; Fax (509) 754-6087

Steve Hill, Supervisor  
Road District No. 1  
Ephrata (509) 754-6586

Dennis Collier, Supervisor  
Road District No. 2  
Moses Lake (509) 765-4172

John Brissey, Supervisor  
Road District No. 3  
Quincy (509) 787-2321

Jerome Wawers,  
Bridge Supervisor  
Ephrata (509) 754-6082

Janice Goeden  
Solid Waste Supervisor  
Ephrata (509) 754-4319

Sealed bids will be received for the following equipment:

**Miscellaneous Equipment**

Bid Opening  
at

**2:00 PM**

**February 5, 2013**

at the

Office of the

Board of County Commissioners

Grant County Courthouse

35 C Street NW, Room 207

P.O. Box 37

Ephrata, WA 98823

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

## NOTICE TO EQUIPMENT DEALERS

Sealed bids, plainly marked "**Bid for Miscellaneous Equipment, Equipment Contract 2013-04**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, 35 C Street NW - Room 207, P.O. Box 37, Ephrata, WA 98823, until **2:00 PM, Tuesday, February 5, 2013**, and will then and there be opened and publicly read for furnishing and delivering:

Item#	Quant.	Desc.
1	3	250 gal. Asphalt Sealant Melter & Applicator
2	1	8,000 lb rough terrain Fork Lift
3	1	Service Body w/Crane
4	1	Small Tilt Trailer

Informational copies of the proposal and specifications are on file with the County Engineer in the Grant County Public Works Building, 124 Enterprise St. S.E., Ephrata, WA 98823.

Any bidder offering new equipment shall include in their proposal an offer to purchase the trade-in equipment. The County assumes the new equipment bidder's trade-in offer is a part of the bid including the new equipment. The bidder's trade-in offer will only be considered separately if the bidder grants permission to the County to consider their trade-in offer separately.

Any person or company may make an offer to purchase the trade-in equipment independent of a bid on the sale of the new equipment. Such offers shall be made on forms provided by the County. The bidders are advised that mileage/hours will continue to accumulate at the current usage rate until replacements vehicles are delivered. The County is offering the following trade-ins:

### Trade-Ins:

#### **#062 - 2004 Bearcat BK250D Asphalt Sealant Melter Applicator**

VIN No. 20903 License No. 70128C Hours as of 1/7/2013: 4,218 hrs  
250 gallon capacity insulated sealant tank, 1.124 L 3 cylinder Isuzu diesel engine with electric start (25+ hp), 325,000 BTU #2 Diesel fired burner., temperature control (100-450 degrees F.), 1 inch x 20 ft. hose, heating trough, six-foot hose boom works on either side of the unit, electric trailer brakes, single axle, 235/85R16.5 tires, 24 gallon fuel tank, 2 5/16 X 3 Inch ID pintle/trailer ball combination tongue, 120 volt – single phase electric heating element, block loading conveyor, 15' 2" trailer length, 5,800 lb operating weight.

#### **#067 - 2004 Bearcat BK250D Asphalt Sealant Melter Applicator**

VIN No. 21003 License No. 70129C Hours as of 1/7/2013: 4,039 hrs  
250 gallon capacity insulated sealant tank, 1.124 L 3 cylinder Isuzu diesel engine with electric start (25+ hp), 325,000 BTU #2 Diesel fired burner., temperature control (100-450 degrees F.), 1 inch x 20 ft. hose, heating trough, six-foot hose boom works on either side of the unit, electric trailer brakes, single axle, 235/85R16.5 tires, 24 gallon fuel tank, 2 5/16 X 3 Inch ID pintle/trailer ball combination tongue, 120 volt – single phase electric heating element, block loading conveyor, 15' 2" trailer length, 5,800 lb operating weight.

The melter applicators may be inspected at Central Shop in Ephrata, WA., 124 Enterprise St. SE, Monday through Thursday between 10:00 am and 3:00 pm. (509) 754-6086

All equipment is offered "AS IS". Prospective buyers may view the equipment at the convenience of the operator. Please call the department to make arrangements to inspect the vehicle. All equipment is operating and currently in-service.

The Board of County Commissioners reserves the right to reject or accept any or all portions of the bids received.

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

## INSTRUCTIONS TO BIDDERS

- 1) Sealed bids, plainly marked "**Bid for Miscellaneous Equipment and , Equipment Contract 2013-04**", will be received by Grant County at the Office of the Board of County Commissioners located in the County Courthouse, P.O. Box 37, 35 C Street NW - Room 207, Ephrata, WA, 98823, until **2:00 PM, February 5, 2013**, and will then and there be opened and publicly read for the construction of the improvements.
- 2) The Bidder may submit a bid on any or all items listed. If the Bidder does not wish to bid any particular item or items, please write "**NO BID**" on the appropriate proposal sheet.
- 3) Multiple bids for the same item may be made by the Bidder. Please copy the appropriate proposal sheet(s) for the item(s) to be bid with more than one model. The proposal for each item bid must be completed. Please number the proposal sheets accordingly.
- 4) The proposal must be completed and the proposal signature sheet must be signed.
- 5) An informational copy of the contract is provided to the Bidder. Please read it but do not sign it.
- 6) All exceptions or changes to the specifications must be shown on the proposal sheet(s) in the space provided or attached to the proposal sheet.
- 7) The Board of County Commissioners reserves the right to reject or accept all or part of the proposal submitted by the Bidder.
- 8) Bidders are advised that the unit price bid for each new item will be compared with current State or other public agency contract prices for similar vehicles. After said comparison the County may reject or accept all or part of the proposal submitted by the Bidder and purchase items directly from the State or other public agency contracts.
- 9) Trade-in equipment is offered for sale in this contract. Bidders offering new equipment are required to make an offer on the trade-in equipment listed, but can choose to restrict their offer to the award of the contract. Interested parties that are not offering new equipment may submit a bid for one or more trade-in equipment listed. A 5% bid security is required for offers made on all trade-ins from bidders not offering new vehicles or equipment. Although no minimum bids are reserved the County will compare trade-in offers to reliable publications or other sources.

Interested parties bidding for trade-in equipment only are required to post a 5% deposit based on the bid amount offered for the equipment. The deposit will be held until the purchaser provides the whole amount for all vehicles awarded to the high bidder. If the purchaser fails to pay for the awarded vehicles within the allotted time, the deposit shall be forfeited to the County.

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

**PROPOSAL - PART I**  
(For New Equipment Dealers)

**General Conditions**

1. The attached specifications are for the purpose of providing details regarding the type of product desired by Grant County. Equal or similar products from reputable manufacturers and suppliers are permitted. Grant County shall be the final determiner of product equivalence.
2. Bidders interested in providing bids for new equipment must complete and return Part I of this proposal.
3. The Bidder has 15 days from the date of award to sign and return the contracts. Failure to sign and return the contracts may result in the loss of the contract to the Bidder. No performance bond is required for this bid proposal.
4. Grant County shall pay State sales and use taxes on all products purchased. The Bidder shall not include taxes in the bid price and shall show state sales taxes as a separate item in the space provided.
5. Grant County is a political subdivision of the State of Washington and is exempt from paying all Federal excise taxes. The Bidder shall furnish Federal excise tax exemption certification when applicable. All other taxes and costs of business shall be borne by the Bidder and included in the base price offered.
6. The bidders are advised that mileage/hours on used equipment will continue to accumulate until replacement vehicles/equipment are delivered.
7. All products shall conform to applicable Federal and State safety and health laws, rules and regulations.

**Bid Evaluations**

1. Bid evaluations shall include, but not be limited by, the following criteria:
  - Price (*may include life cycle*)
  - Quality of product
  - Conformance to specifications
  - Prompt service and parts availability
  - Training
  - Bidder's previous contract experience
  - Public's best interest.

**Submissions to be included with the Bid Proposal**

1. Bidders are advised to submit the following with each bid item:
  - Descriptive literature.
  - Complete operating dimensions and sketches of the proposed unit.
  - Complete information detailing engines, engine accessories, transmissions, frame, axles, electrical components, cab, differentials, drivelines, hydraulic systems, and appurtenances for each unit bid.

2. The Bidder may submit any other information that may assist Grant County in evaluating the bid.

### **Full Service Facility**

A full service facility is defined as the location with spare parts available to Grant County within 24 hours from 8:00 AM to 5:00 PM, Monday thru Friday.

### **Warranty**

The Bidder must state the warranty period(s) on all items bid or portions of each item. Grant County may require a minimum warranty period. Within the warranty period the successful Bidder shall replace all parts and perform all repairs which are required or made necessary due to defective design, materials, workmanship, or non-conformance with the specifications. Unless otherwise noted, the Bidder shall perform all warranty repairs at the Bidder's place of business. Grant County shall deliver and retrieve defective equipment at the Bidder's place of business. All repairs shall have the warranty reinstated for the remaining period.

### **Operator's, Parts and Service Manuals**

The Bidder shall furnish operator's manuals, service manuals and parts manuals as specified in the proposal. **Manuals must be delivered to Grant County before product delivery is considered complete.**

### **Delivery, Inspection and Acceptance**

All equipment shall be new and the manufacturer's latest model. All standard equipment shall be furnished with the unit. The unit and mounted equipment, if any, shall be serviced, comply with all specifications, and be in full working order for the purpose it was designed at the time of delivery. **Grant County will accept delivery between the hours of 8:00 AM to 3:30 PM, Monday thru Thursday only.** Unless otherwise noted, deliveries shall be F.O.B., Freight and Insurance Prepaid and Included, to Grant County. The Bidder will be required to obtain a delivery address within Grant County, Washington, and the time from the County Engineer, or his designated representative, for each piece of equipment. The Bidder, or his representative, is requested to be present at the time of delivery.

Supplier(s) shall provide the following documents for review at time of delivery for each item.

1. The manufacturer's line production sheet stating the equipment serial and identification numbers and listing all of the equipment's components. (Maroni sticker)
2. Completed Invoice.
3. The Manufacturer's Statement of Origin (MSO).
4. Axle weight slips (for all units with axles).
5. A completed Washington State title application showing both the legal and registered owner as: Grant County Public Works, 124 Enterprise St. SE, Ephrata, WA 98823. The mailing address is the same. Out of state Supplier(s) may contact Grant County, Financial Administration Office at (509) 754- 6082 to obtain a Washington State title application.

### **Training**

1. The Bidder and manufacturer's representatives must be able to provide sufficient training to Grant County personnel to operate, service and repair the equipment. The training should occur in Grant County. Training shall include all labor, equipment, materials, tools, travel and other expenses needed to provide a complete service. The Bidder may show a minimum



- number of training hours for each category. Failure to offer any training will be a consideration in the bid evaluation process.
2. The Bidder shall state the number of hours and the cost per hour for each category of training on the proposal form in the space provided.
  3. Training is an additive cost to the contract. The Bidder shall not include training costs in the base bid of the proposal. Grant County is not obligated to use the training offered by the Bidder, however, should Grant County desire to utilize the training programs offered those costs will be added to the contract..

**Late Delivery**

No penalty for late delivery will be assessed against the Bidder. However, the Bidder is advised that the failure to deliver the equipment before the promised date will be a consideration used at succeeding bid proposal evaluations.

**Trade-ins**

Grant County is not obligated to accept any trade-in offer and may accept new equipment bid without the required trade-in offer. The trade-in offer itself will be considered to be a part of the whole item and will not be considered separately unless the bidder checks the appropriate line. Bidders wishing to bid for trade-ins only to be considered separately should complete and sign Part II of this proposal and provide a 5% security deposit. No security deposit is required for bidders bidding new equipment and offering trade-in values in Part I of this proposal.

Informational Copy Only - NOT FOR BIDDING  
call 509-754-6082 to obtain Bid Package

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

**PROPOSAL Bid Item No. 1**

BID ALTERNATE # \_\_\_\_\_

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver <b>250 gallon asphalt sealant melter applicator</b> F.O.B. Grant County, WA	3	\$ _____	\$ _____
		Trade-in #062	(\$ _____)
		Trade-in #067	(\$ _____)
		Subtotal	\$ _____
		% SST	\$ _____
		Total Bid	\$ _____

Note: Bidder agrees to let the County consider trade-in offers separately:  
 Yes \_\_\_\_\_ No \_\_\_\_\_  
 (Please check one)

Bidder is required to provide the following information:

Make and Model Melter: \_\_\_\_\_ Delivery: \_\_\_\_\_  
 Warranty Period: \_\_\_\_\_ (ARO - After receipt of order)

**250 gallon Melter Applicator**

The selected bidder is expected to furnish and deliver a melter applicator designed to melt asphalt sealant materials quickly and apply same to cracks in county roads. This specification references the Bearcat BK250D Kracker.

**General**

**List specifications, models & cost changes**

- 2013 model year
- Trailer and frame per manufacturer's design for the expected use and product loading
- Two 7,000 lb axles
- LT235/85R 16 tires
- Surge trailer brakes
- 5,000 screw post tongue jack, swing away
- Tongue supplied with ball hitch, 3/8" x 36" safety chains
- Trailer equipped with stop, tail, and turn signals
- Rotating beacon with control switch
- All wiring in conduit or protected chase
- 5,400 lb. operating weight
- 250 gallon insulated steel tank
- Dual loading doors, 21" x 36", with splash proof flanges and lock down bracket
- Dual spiraled mixing augers, sealed shafts
- 2" positive displacement sealant pump, hot oil jacketed
- Variable speed hydraulic pump motor
- Material screen on inlet side of pump
- Circulation plumbing pumping product from tank to wand and from base of tank to top of tank
- 1" x 20 ft. high temperature applicator hose with wire steel braid and oil-resistant liner.
- 3/4" x 54 in. Schedule 40 aluminum wand with hand held shutoff valve handle and quarter turn valve
- Wand leg guard
- Quick disconnect wand and hose coupling with swivels
- Heated hose storage
- Wand product return tube to provide continuous flow of sealant
- Hand wand lockout bracket
- 6 ft boom/swing arm to carry slack applicator hose

- Heat jacketed reversible pump for product clean out
- 315,000 BTU #2 diesel fired burner to heat transfer oil
- Heated diesel fuel injection nozzle
- Heat shields per manufacturer's design
- 24 gallon fuel tank
- Burner controls per manufacturer's design
- Internal coil design heat exchanger per manufacturer's design
- 25 hp 3 cylinder 4-stroke diesel engine
- Hydraulic system per manufacturer's design
- Tool box
- 10 lb Fire extinguisher, Type ABC, mounted on unit
- Oil transfer heat gauge, 100° to 175° F range
- Sealant tank heat gauge, 100° to 475° F range
- Sealant line heat gauge, 150° to 750° F range
- Spare Tire and Mount
- Block Loading Conveyor
- (120V-1Phase) Electric Heating Element
- Bucket Pour Spout
- Engine Cover
- Engine Gauge Panel
- Heated Hose Trough
- 6" Sq. Return Tube/Folding Cover/Lock out Bracket
- Color: Manufacturer's standard for all components that are not rubber, aluminum or bright finished
- Four parts, four service, and four operator's manuals to be provided at delivery for full order
- Written guarantee to cover all repairs, including parts, labor, materials less transport for a 12 month/1,000 hour period after the date of delivery (please attach)

Replaces: #062, #067, Fleet Add. [Central Shop]

Trade-ins:

#### **#062 - 2004 Bearcat BK250D Asphalt Sealant Melter Applicator**

VIN No. 20903 License No. 70128C Hours as of 1/7/2013: 4,218 hrs  
250 gallon capacity insulated sealant tank, 1.124 L 3 cylinder Isuzu diesel engine with electric start (25+ hp), 325,000 BTU #2 Diesel fired burner., temperature control (100-450 degrees F.), 1 inch x 20 ft. hose, heating trough, six-foot hose boom works on either side of the unit, electric trailer brakes, single axle, 235/85R16.5 tires, 24 gallon fuel tank, 2 5/16 X 3 Inch ID pintle/trailer ball combination tongue, 120 volt – single phase electric heating element, block loading conveyor, 15' 2" trailer length, 5,800 lb operating weight.

#### **#067 - 2004 Bearcat BK250D Asphalt Sealant Melter Applicator**

VIN No. 21003 License No. 70129C Hours as of 1/7/2013: 4,039 hrs  
250 gallon capacity insulated sealant tank, 1.124 L 3 cylinder Isuzu diesel engine with electric start (25+ hp), 325,000 BTU #2 Diesel fired burner., temperature control (100-450 degrees F.), 1 inch x 20 ft. hose, heating trough, six-foot hose boom works on either side of the unit, electric trailer brakes, single axle, 235/85R16.5 tires, 24 gallon fuel tank, 2 5/16 X 3 Inch ID pintle/trailer ball combination tongue, 120 volt – single phase electric heating element, block loading conveyor, 15' 2" trailer length, 5,800 lb operating weight.

The melter applicators may be inspected at Central Shop in Ephrata, WA., 124 Enterprise St. SE, Monday through Thursday between 10:00 am and 3:00 pm. (509) 754-6086

Nearest service outlet for **melter applicator** warranty repairs:

Company: \_\_\_\_\_ Contact: \_\_\_\_\_  
Street: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_  
City: \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_  
State: \_\_\_\_\_ Zip \_\_\_\_\_ Email: \_\_\_\_\_

Proposed customer training:

Operator. . . \_\_\_\_\_ hrs @ \$ \_\_\_\_\_ /hr  
Service. . . \_\_\_\_\_ hrs @ \$ \_\_\_\_\_ /hr  
Mechanical. \_\_\_\_\_ hrs @ \$ \_\_\_\_\_ /hr  
Location. \_\_\_\_\_

Informational Copy Only - NOT FOR BIDDING  
call 509-754-6082 to obtain Bid Package

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

**PROPOSAL Bid Item No. 2**

BID ALTERNATE # \_\_\_\_\_

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver <b>8,000 lb. rough terrain fork lift</b> F.O.B. Grant County, WA	1	\$ _____	\$ _____
		% SST	\$ _____
		Total Bid	\$ _____

Bidder is required to provide the following information:

Make and Model Fork Lift: \_\_\_\_\_ Delivery: \_\_\_\_\_  
 Warranty Period: \_\_\_\_\_ (ARO - After receipt of order)

**Fork Lift Specifications:**

The selected bidder is expected to furnish and deliver a fork lift designed to lift 8,000 lb and travel across irregular graveled and dirt shop yards. This specification references the Case 588H Fork Lift.

General

List specifications, models & cost changes

- 2013 model year \_\_\_\_\_
- Case 3.4L 4-stroke, turbocharged 4 cylinder diesel engine \_\_\_\_\_
- net 76 hp @ 2200 RPM \_\_\_\_\_
- 486 in2 radiator \_\_\_\_\_
- Style 7 blade suction \_\_\_\_\_
- Cold weather starting aid \_\_\_\_\_
- Spin-on oil filter \_\_\_\_\_
- Replaceable dry air cleaner \_\_\_\_\_

Powertrain

- 4F-4R Power Shuttle Synchromesh Transmission manual gear shift fully synchronized \_\_\_\_\_
- Electric differential lock, push button activated \_\_\_\_\_
- On-the-go electric 4WD control \_\_\_\_\_
- Service brakes Individually applied, hydraulically actuated, maintenance-free, self-adjusting, outboard mounted, wet disc, 2 per side \_\_\_\_\_
- Parking brakes spring applied hydraulic release (SAHR) \_\_\_\_\_
- Tires: Front: 4WD 19.5 L x 24, 10-ply rating \_\_\_\_\_
- Rear: 4WD 12 L x 16.5, 8-ply rating \_\_\_\_\_
- Turning diameter: 4WD – engaged: \_\_\_\_\_
- w/ brakes 25 ft 6 in (7.66 m) \_\_\_\_\_
- w/o brakes 28 ft 9 in (8.76 m) \_\_\_\_\_
- 4WD – disengaged: \_\_\_\_\_
- w/ brakes 24 ft 6 in (7.52 m) \_\_\_\_\_
- w/o brakes 26 ft 5 in (8.04 m) \_\_\_\_\_
- Ground clearance 10 inches \_\_\_\_\_

Electrical

- Voltage 12 Volts \_\_\_\_\_
- Alternator 120 amp \_\_\_\_\_
- Battery 685 cold-cranking amps \_\_\_\_\_
- Power plugs (2) 30 amps total \_\_\_\_\_
- Sealed fuse/relay enclosures beneath operator's seat \_\_\_\_\_
- Master disconnect switch \_\_\_\_\_
- Remote jump start terminals \_\_\_\_\_

#### Operator Environment

- ROPS/FOPS certified protective canopy
- Deluxe mechanical suspension seat w/adjustable height
- 2 front halogen headlights; 2 rear halogen worklights
- Wide walk through platform; Vinyl seat; 2 in (51 mm) seat belt; Molded front fenders.
- Gauges: Hour meter; Engine RPM; Engine coolant temperature; Transmission oil temperature; Hourmeter; Fuel level
- Warning lights: Air cleaner restriction; Alternator; Cold start; Engine oil pressure; Hydraulic oil filter bypass; Parking brake engagement; DPF indicator
- Audible alarms: Coolant temperature; Engine oil pressure; Parking brake engagement; Converter oil temperature; Backup; Horn

#### Operating Weight

- Config. 2 – Heaviest: 16,684 lbs (7568 kg)
- 4WD, 22 ft Std. Mast, 48 in forks
- Add-on weights: *(please specify)*

#### Mast:

- 22 ft Std. Mast 3,128 lbs (1419 kg)
- Carriage – 60 in 110 lbs (50 kg)
- Forks: Hook style 330 lbs (150 kg)  
Shaft style 302 lbs (137 kg)
- Lift capacity to full height w/ 24 in load center:  
22 ft Std. Mast 4,000 lb (1814 kg)
- Mast type: 22 ft Std. Mast 3 Stage Roller Mast
- Lift speed: 22 ft Std. Mast 118 ft/min
- Pallet forks: 1.73" x 5" x 48 ", set of two

#### Hydraulics

- Pump Gear pump, Capacity 24 gal/min @ 3000 psi
- Heavy duty hydraulic oil cooler
- Spin-on filter, 7 micron

#### Service Capacities

- Fuel tank 31 gal
- Hydraulic system: Total 72 qt  
Reservoir w/ filter 58 qt  
Reservoir w/o filter 56 qt
- Transmission: 4WD: Total 22.0 qt  
Reservoir 15.2 qt
- Front axle: Differential 15.0 qt  
Planetaries (each) 1.6 qt
- Rear axle: Differential 5.8 qt  
Planetaries (each) 0.7 qt
- Engine oil w/ filter 14.4 qt
- Cooling system 17.0 qt

#### Other Equipment

- Light package: Turn signal, Hazard warning, Brake, Combination flasher
- Mast load backrest – 60 in (1524 mm)
- Bolt on step mounted tool box
- Whelen L31 360° beacon mounted top of FOPS canopy.  
Install control switch on dash



- Color: Manufacturer's standard for all components that are not rubber, aluminum or bright finished \_\_\_\_\_
- All factory standard equipment and warranties including: \_\_\_\_\_  
Two operator's, two service and two parts manuals \_\_\_\_\_  
Minimum full 12 month hour warranty \_\_\_\_\_

Fleet Add. [Dist 1]

Trade-in: None

Nearest service outlet for **compactor** warranty repairs:

Company: \_\_\_\_\_ Contact: \_\_\_\_\_  
Street: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_  
City: \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_  
State: \_\_\_\_\_ Zip \_\_\_\_\_ Email: \_\_\_\_\_

Proposed customer training:

Operator: \_\_\_\_\_ hrs @ \$ \_\_\_\_\_/hr  
Service: \_\_\_\_\_ hrs @ \$ \_\_\_\_\_/hr  
Mechanical: \_\_\_\_\_ hrs @ \$ \_\_\_\_\_/hr  
Location: Grant County, WA

Informational Copy Only - NOT FOR BIDDING  
call 509-754-6082 to obtain Bid Package

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

**PROPOSAL Bid Item No. 3**

BID ALTERNATE # \_\_\_\_\_

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver			
..... <b>service crane body</b>	1	\$ _____	\$ _____
..... <b>electric crane</b>	1	\$ _____	\$ _____
F.O.B. Grant County, WA		% SST	\$ _____
		Total Bid	\$ _____

Bidder is required to provide the following information:

Make and Model Service Body: \_\_\_\_\_ Delivery: \_\_\_\_\_  
 Warranty Period: \_\_\_\_\_ (ARO - After receipt of order)

Make and Model Crane: \_\_\_\_\_ Delivery: \_\_\_\_\_  
 Warranty Period: \_\_\_\_\_ (ARO - After receipt of order)

**Service Crane Body and Crane Specifications:**

The selected bidder is expected to furnish and deliver a service crane body and crane designed to fit a 2013 Ford F550 Chassis with 84" CA and dual rear tires. This specification references the Knapheide 6132DLR-38J Service Crane Body and IMT 2020 Telescopic Electric Crane.

**Service Crane Body**

**List specifications, models & cost changes**

- 2013 model year
- Knapheide 6132DLR-38J or approved equal
- A-40 galvanneal compartments and doors
- 1/8" treadplate floor, tops and backs, full-seam continuous welded
- 12-gauge bottom and end panels of compartments
- 14-gauge inner partitions of compartments
- Doors are double-panel with 14 gauge outside panels and hat-section reinforcements
- Double spring over center door closures on all vertical doors, keeps door in positive open or closed position.
- 250-lb capacity adjustable divider shelves made of spangled galvanized steel. Limited quantity of dividers furnished standard. Divider slots on 4" centers. With Knapheide's exclusive six year warranty.
- Medium gloss, mar resistant, light gray finish brightens interiors and makes finding contents easier.
- Complete undercoating provides protection from corrosion and road debris
- 12 and 14-gauge two-sided A-40 galvanneal steel body shell. With Knapheide's exclusive six year warranty.
- Double-shell, 14 ga. outer panel, two-sided A-40 galvanneal steel hat section reinforced doors with Knapheide's exclusive six-year warranty
- Exclusive thick automotive bulb-type neoprene door seats protect compartment contents from weather.
- Exclusive all stainless steel continuous hinge provides superior corrosion protection, full length support for the doors and pry-proof security with a built-in weather shield.

- Hinge is supported with Knapheide's exclusive six year warranty.
- Max Crane Size 6,000 lb./(38,000 ft.-lb.)
  - Min. truck chassis GVWR at 15,000 lb.
  - Max Tire Size at 19.5" dia. rims (34" tire dia.)
  - Cargo tie-downs: D-ring type, recessed in floor, 6,000 lb. capacity (four in 108" bodies and six in 132" bodies)
  - Two chrome grab handles
  - Bolt-on slammable tailgate
  - Stop/turn/tail/backup, marker, and RID lights with light wire harness
  - Aluminum light boxes for external mounting of rear lights
  - Shelf clips with 2" spacing
  - Overlap doors on front vertical and horizontal compartments
  - Stainless steel three-point T-handle latches
  - Pre-drilled mounting holes on crane pedestal for ease of installing most popular cranes
  - Drip pan under crane mount
  - Fixed shelf in crane compartment
  - Provide Interior Shelf Package C
  - Provide series 38J Bumper:
    - 21" deep step and work surface (60J bumper has lower step 5" deep)
    - Grip tape supplied for step surfaces
    - Through compartment with door each side (clear opening 6 3/4" x 6 1/8"-38J), (clear opening 6 3/4" x 8 1/8"-60J)
    - Removable vise bracket with receiver tube
    - Hitch ready: 38J has 2" I.D. receiver ready mounting with safety chain anchors. No drawbar supplied
    - Weight with receiver tube for crane: 483 lbs.-38J
  - CA requirement at 84"
  - Body Length Nominal at 132"
  - Compartment Depth at 22"
  - Floor Width at 50"
  - Net Weight (lbs) at 2,931 lbs
  - Provide LED Stop, Tail, and Turn Lights
  - Provide LED Compartment Lighting
  - Color exterior:: RED to match Iron Color Code N2225 that are not rubber, aluminum or bright finished
  - All factory standard equipment and warranties including:
    - Two operator's, two service and two parts manuals
    - Minimum full 12 month warranty
- Electric Crane
- 2013 model year
  - IMT 2020 Telescopic Crane or approved equal
  - Crane Rating 20,000 ft-lb
  - Horizontal Reach (from center of rotation) 20'
  - Hydraulic Extension 60"
  - Manual Extension 60"
  - Lifting Height (from base of crane) 20' 11"
  - Crane Weight 920 lb
  - Crane Storage Height 28"
  - Mounting Space Required (crane base) 17" x 17-3/4"
  - Optimum Pump Capacity
  - Two-stage, electric\*\* (low speed/high speed) 1.5/3.5 gpm
  - System Operating Pressure 2300 psi

- Tie-Down Bolt Pattern 14-3/4" x 14-3/4" \_\_\_\_\_
- Rotational Torque 3000 ft-lb \_\_\_\_\_
- Minimum Chassis:
  - Front Axle Rating (GAWR) 4000 lb
  - Rear Axle Rating (GAWR) 7500 lb
  - Wheelbase 137" – 161"
  - Cab-to-Axle 60" – 84"
  - Resistance to Bending Moment (RBM)
  - (frame section modulus) 8 cu in
  - (frame yield strength) 36,000 psi
  - 130 amp alternator
- The two-stage pump delivering 1.5 gpm at low speed and 3.5 gpm at high speed. Normally under load, the pump operates as a single-stage pump \_\_\_\_\_
- Dual pressure switches mounted on the lift cylinder to sense various overload conditions \_\_\_\_\_
- Winch uses a hydraulic motor through a 38:1 ratio worm gear with a mechanical brake \_\_\_\_\_
- Winch is equipped with 65' (19.81 m) of 5/16" (7.9 mm), 6x25 FW PRF RRL IWRC XIPS wire rope \_\_\_\_\_
- An anti-two-block device \_\_\_\_\_
- Color: Manufacturer's standard for all components that are not rubber, aluminum or bright finished \_\_\_\_\_
- All factory standard equipment and warranties including:
  - Two operator's, two service and two parts manuals \_\_\_\_\_
  - Minimum full 12 month warranty \_\_\_\_\_
- Note: Grant County will mount the service crane body and electric crane units provided by the successful bidder(s). Bidders will provide technical assistance and all required tools and parts as needed to assist Grant County in completing the work. The bidders will be notified by Grant County of the make and model of the new Cab and Chassis before the orders are placed. \_\_\_\_\_

Fleet Add. [Dist 1]

Trade-in: None

Nearest service outlet for compactor warranty repairs:

Company: \_\_\_\_\_ Contact: \_\_\_\_\_  
 Street: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_  
 City: \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_  
 State: \_\_\_\_\_ Zip: \_\_\_\_\_ Email: \_\_\_\_\_

Proposed customer training:

Operator. . . \_\_\_\_ hrs @ \$ \_\_\_\_/hr  
 Service. . . \_\_\_\_ hrs @ \$ \_\_\_\_/hr  
 Mechanical. \_\_\_\_ hrs @ \$ \_\_\_\_/hr  
 Location. . Grant County, WA

**Informational Copy Only - NOT FOR BIDDING**  
**Call 509-754-6082 to obtain Bid Package**

**PROPOSAL Bid Item No. 4**

BID ALTERNATE # \_\_\_\_\_

<u>Description</u>	<u>Quantity</u>	<u>Unit Price</u>	<u>Amount</u>
Furnish and deliver <b>small tilt trailer</b>	1	\$ _____	\$ _____
F.O.B. Grant County, WA		% SST	\$ _____
		Total Bid	\$ _____

Bidder is required to provide the following information:

Make and Model Trailer: \_\_\_\_\_ Delivery: \_\_\_\_\_  
 Warranty Period: \_\_\_\_\_ (ARO - After receipt of order)

**Trailer Specifications:**

The selected bidder is expected to furnish and deliver a small tilt trailer designed to secure and carry a Genie Electric Scissor Lift at highway speeds. This specification references the Butler TS-610-D Tilt Bed Trailer.

General

List specifications, models & cost changes

- 2013 model year
- GVWR 5,500 lbs.
- Unladen Weight 1,270 lbs
- Tires (2) 225/75R16 E
- Brakes (Electric) 2" x 12"
- Axles: 6,000 lbs., 4" Drop
- Springs: Multi-Leaf, Slipper Type
- Bed Length: 120"
- Bed Width: 66"
- Bed Height: 15"
- Floor: 1/8" Steel Diamond Plate
- Fenders: 1/8" Steel Diamond Plate
- Tongue Jack: 2,000 lb., Fold Up-Screw Type
- Tie Down Pockets: 6
- Hitch (Adjustable Ball): 6 Position
- Dual Safety Chains w/ Safety Latch Hooks
- Safety Break-Away Kit w/Jell Cell Battery
- 2 Stop-Turn-Tail Lights & License Light
- Three Light Identification At Rear
- Red Clearance Lights At Rear w/ Reflector lenses
- Amber Clearance Lights At Front w/Reflector Lenses
- All Lights ? Sealed Element Gromment Mount
- Wiring Junction Box w/Color Coded Wire Harness
- Undercoating on Underside
- Paint: Black

Please add these available options

- Lashing D-Rings
- Shock Cylinder for Tilt
- All factory standard equipment and warranties including:
  - One operator's, service and parts manuals
  - Minimum full 12 month hour warranty

Fleet Add. [Maintenance]

Trade-in: None

Nearest service outlet for **compact**or warranty repairs:

Company: \_\_\_\_\_ Contact: \_\_\_\_\_  
Street: \_\_\_\_\_ Phone: (\_\_\_\_) \_\_\_\_\_  
City: \_\_\_\_\_ Fax: (\_\_\_\_) \_\_\_\_\_  
State: \_\_\_\_\_ Zip \_\_\_\_\_ Email: \_\_\_\_\_

Proposed customer training:

Operator.. \_\_\_\_ hrs @ \$ \_\_\_\_ /hr  
Service.. \_\_\_\_ hrs @ \$ \_\_\_\_ /hr  
Mechanical. \_\_\_\_ hrs @ \$ \_\_\_\_ /hr  
Location.. Grant County, WA

Informational Copy Only - NOT FOR BIDDING  
Call 509-754-6082 to obtain Bid Package



## **Non-Collusion Declaration**

**I, by signing the proposal, hereby declare, under penalty of perjury under the laws of the United States that the following statements are true and correct:**

1. That the undersigned person(s), firm, association, or corporation has (have) not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with the project for which this proposal is submitted.
2. That by signing the signature page of this proposal, I am deemed to have signed and have agreed to the provisions of this declaration.

Informational Copy Only - NOT FOR BIDDING  
call 509-754-6082 to obtain Bid Package

**Informational Copy Only - NOT FOR BIDDING**  
Call 509-754-6082 to obtain Bid Package

## Proposal for New Equipment - Signature Page

The Bidder supplying new vehicles and trade-in offers is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

No proposal guaranty is required for this bid proposal offering new vehicles and trade-in offers.

Receipt is hereby acknowledged of addendum(s) No.(s) \_\_\_\_\_, \_\_\_\_\_ & \_\_\_\_\_.

In compliance with Chapter 39.34.030(5)b RCW a public notice for this solicitation for bids has been posted on Grant County's website: <http://www.grantcountyweb.us/GCPW/index.htm>

- The Bidder will allow Grant County to purchase additional contract items at the original bid prices offered: ..... Yes \_\_\_\_\_ No \_\_\_\_\_
- The Bidder will allow other public agencies to purchase additional contract items at the original prices offered (RCW 39.34): ..... Yes \_\_\_\_\_ No \_\_\_\_\_
- The Bidder will allow modifications on contract items for additional purchase requests (subject to wholesale price adjustments agreeable to each public agency): ..... Yes \_\_\_\_\_ No \_\_\_\_\_
- The Bidder understands Grant County accepts no responsibility for the payment of any additional purchase requests made by other public agencies: ..... Yes \_\_\_\_\_ No \_\_\_\_\_
- The Bidder understands Grant County is not required to purchase additional contract items: ..... Yes \_\_\_\_\_ No \_\_\_\_\_

Signature of Authorized Official(s) \_\_\_\_\_

**PROPOSAL MUST BE SIGNED →** \_\_\_\_\_

\_\_\_\_\_  
Please Print Name of Authorized Official

Firm Name \_\_\_\_\_

Address \_\_\_\_\_

City, St, Zip \_\_\_\_\_

Voice (\_\_\_\_) \_\_\_\_\_ Fax (\_\_\_\_) \_\_\_\_\_

Email \_\_\_\_\_

State of Washington License No. \_\_\_\_\_

Federal ID No. \_\_\_\_\_

- Note:
- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
  - (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2013-04**

**Informational Copy Only - NOT FOR BIDDING**  
Call 509-754-6082 to obtain Bid Package

## CONTRACT

THIS AGREEMENT, made and entered into this \_\_\_\_\_ day of \_\_\_\_\_, 2013, between the Board of County Commissioners of Grant County, State of Washington, acting under and by virtue of Chapter 36.77 of the Revised Code of Washington, as amended, hereinafter called the County, and \_\_\_\_\_, for itself, its heirs, executors, administrators, successors and assigns, hereinafter called the Contractor.

### WITNESSETH:

That in consideration of the payments, covenants, and agreements, hereinafter mentioned, and attached and made a part of this agreement, to be made and performed by the parties hereto, and the parties hereto covenant and agree as follows:

### DESCRIPTION OF WORK:

1. The Contractor shall do all work and furnish all tools, materials, labor and equipment necessary to improve and complete **Miscellaneous Equipment, Equipment Contract 2013-04**, located in Grant County, Washington, as proposed in a bid opened **2:00 PM, Tuesday, February 5, 2013** in accordance with and as described in the herein attached plans and standard specifications, and in full compliance with the terms, conditions, and stipulations herein set forth and attached, now referred to any by such reference incorporated herein and made part hereof as fully for all purposes as if here set forth at length, and shall perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work may be ordered as provided in this contract and every part thereof.
2. The Contractor shall provide and be at the expense of all materials, labor, carriage, tools, implements and conveniences and things of every description that may be requisite for the transfer of materials and for constructing and completing the work provided for in this contract and every part thereof.
3. The County hereby promises and agrees with the Contractor to employ, and does employ the Contractor to provide the materials and to do and cause to be done the above described work and to complete and finish the same according to the attached plans and specifications and the terms and conditions herein contained, and hereby contracts to pay for the same according to the attached specifications and the schedule of unit or itemized prices hereto attached, at the time and in the manner and upon the conditions provided for in this contract and every part thereof. The County further agrees to employ the Contractor to perform any alterations in or additions to the work covered by this contract and every part thereof and any force account work that may be ordered and pay for same under the terms of this contract and the attached plans and specifications.
4. The Contractor for himself, and for his heirs, executors, administrators and assigns, and successors and assigns, does hereby agree to the full performance of all the covenants herein contained upon the part of the Contractor.
5. It is further provided that no liability shall attach to the County by reason of entering into this contract, except as expressly provided herein.

IN WITNESS WHEREOF, the said Contractor has executed this instrument, and the said Board of County Commissioners of aforesaid County has caused this instrument to be executed by and in the name of said Board by its Members, duly attested by its Clerk, the day and year first above written, and the seal of said Board to be hereunto affixed on the date in this instrument first above written.

\_\_\_\_\_, 2013

Signature

Print Name

Firm Name

Address

City

State

Zip

( )

Phone

(County Seal)

ATTEST:

\_\_\_\_\_  
Clerk of the Board

APPROVED AS TO FORM:

\_\_\_\_ day of \_\_\_\_\_, 2013

\_\_\_\_\_  
Deputy Prosecuting Attorney

BOARD OF COUNTY COMMISSIONERS  
OF GRANT COUNTY, WASHINGTON

\_\_\_\_\_  
Chairman

\_\_\_\_\_  
Commissioner

\_\_\_\_\_  
Commissioner

**PROPOSAL - PART II**  
(For Used Equipment Bidders)

**General Conditions**

The attached specifications are for the purpose of providing details regarding the type of equipment available for sale by sealed bids.

Bidders interested in bidding for used equipment must complete and return Part II of this proposal.

The bidders are advised that mileage/hours on used equipment will continue to accumulate until replacement vehicles/equipment are delivered.

The successful bidder shall pay State and local sales and use taxes on all products purchased. The Bidder shall not include state and local taxes in the bid price in the space provided..

**Bid Evaluations**

Bid evaluations shall include, but not be limited by, the following criteria:

- Price
- Bid prices shall be compared to trade-in offers provided by vendors bidding new equipment.
- Grant County receives a reduction in sales tax from trade-in offers included with new equipment. That sales tax reduction shall be considered when comparing offers made by bidders for used equipment.
- Although no minimum bids are reserved Grant County will compare trade-in offers to reliable publications or other sources. Bids considered too low will not be accepted.
- Public's best interest.

**Submissions**

Bidders are advised to submit the following with each bid item:

- A 5% security in the form of a certified or cashier's check based upon the bidder's offer for the used equipment.
- Completed and signed Proposal sheet. Failure to complete and sign the Proposal form may result in the bid being declared irregular and not considered.

The Bidder may submit any other information that may assist Grant County in evaluating the bid.

**Warranty**

The Bidder is advised Grant County offers no express or implied warranty and all used equipment available for sale is offered "AS IS". Prospective buyers may view the equipment at the convenience of the operator. Contact information is listed.

**Trade-ins**

Grant County is not obligated to accept any trade-in offer. The trade-in offer itself will be for used equipment and described attachments, if any. All bids for trade-ins using Part II of this proposal will be considered separately. The successful bidder shall be given the prescribed number of days shown in the Proposal Signature Page from the date of notification that the used equipment is available and to pay the balance owed and pickup the equipment. If the bidder fails to complete the transaction within that time period the deposit shall be forfeited to Grant County.

The available list of used equipment follows:

## **MELTER APPLICATORS**

<b><u>Description</u></b>	<b><u>Dept</u></b>	<b><u>Color</u></b>	<b><u>Hours</u></b>	<b><u>VIN</u></b>
#062 - 2004 Bearcat BK250D Asphalt Sealant Melter Applicator	Central Shop	Yellow	4,070 hrs	20903

250 gallon capacity insulated sealant tank, 1.124 L 3 cylinder Isuzu diesel engine with electric start (25+ hp), 325,000 BTU #2 Diesel fired burner., temperature control (100-450 degrees F.), 1 inch x 20 ft. hose, heating trough, six-foot hose boom works on either side of the unit, electric trailer brakes, single axle, 235/85R16.5 tires, 24 gallon fuel tank, 2 5/16 X 3 Inch ID pintle/trailer ball combination tongue, 120 volt – single phase electric heating element, block loading conveyor, 15' 2" trailer length, 5,800 lb operating weight.

**Amount offered: \$** \_\_\_\_\_

<b><u>Description</u></b>	<b><u>Dept</u></b>	<b><u>Color</u></b>	<b><u>Hours</u></b>	<b><u>VIN</u></b>
#067 - 2004 Bearcat BK250D Asphalt Sealant Melter Applicator	Central Shop	Yellow	3,875 hrs	21003

250 gallon capacity insulated sealant tank, 1.124 L 3 cylinder Isuzu diesel engine with electric start (25+ hp), 325,000 BTU #2 Diesel fired burner., temperature control (100-450 degrees F.), 1 inch x 20 ft. hose, heating trough, six-foot hose boom works on either side of the unit, electric trailer brakes, single axle, 235/85R16.5 tires, 24 gallon fuel tank, 2 5/16 X 3 Inch ID pintle/trailer ball combination tongue, 120 volt – single phase electric heating element, block loading conveyor, 15' 2" trailer length, 5,800 lb operating weight.

**Amount offered: \$** \_\_\_\_\_

All vehicles are offered "AS IS". Prospective buyers may view the equipment at the convenience of the operator. Please call the departments using the numbers listed below to make arrangements to inspect the vehicle. All vehicles are operating and currently in-service unless otherwise stated.

Central Shop ..... (509) 754-6086



## Proposal for Trade-ins - Signature Page

The Bidder for trade-in vehicles only (not including new vehicle dealers) is hereby advised that by signature of this proposal he/she is deemed to have acknowledged all requirements and signed all certificates contained herein.

A 5% proposal guarantee is required for the bid proposal for trade-ins.  
(Please attach cashier's check or certified check.)

Receipt is hereby acknowledged of addendum(s) No.(s) \_\_\_\_\_, \_\_\_\_\_ & \_\_\_\_\_.

Additional terms:

1. If the Bidder's offer to purchase used equipment is accepted by the County, the bidder understands he/she has 30 days to complete the sale after notification of the delivery of new vehicle.
2. The Bidder may be allowed to withdraw his/her offer if the used vehicle is damaged or has become mechanically unreliable and the value of used vehicle is reduced. In the event this happens the County and the Bidder may negotiate a new purchase price.
3. The bidder will not be permitted to withdraw his/her offer do to increased mileage or hours.

Signature of Authorized Official(s) \_\_\_\_\_

**PROPOSAL MUST BE SIGNED →** \_\_\_\_\_

\_\_\_\_\_  
Please Print Name of Authorized Official

Firm Name \_\_\_\_\_

Address \_\_\_\_\_

City, St, Zip \_\_\_\_\_

Voice (\_\_\_\_) \_\_\_\_\_

Fax (\_\_\_\_) \_\_\_\_\_

Email \_\_\_\_\_

- Note:
- (1) This proposal form is not transferable and any alteration entered hereon without prior permission from the County Engineer will be cause for considering the proposal irregular and subsequent rejection of the bid.
  - (2) Should it be necessary to modify this proposal either in writing or by electronic means, please make reference to the following proposal number in your communication: **Equipment Contract 2013-04**